



**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 1

Compilation date: 25/06/2015

Revision date: 16/10/2018

Revision No: 4

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** FORTAFIX FASTGLEAM GLASS CLEANER

**CAS number:** Mixture

**EINECS number:** Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products). PROC11:  
Non industrial spraying

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Minkon Ltd  
Tofts Farm Industrial Estate  
Brenda Road  
Hartlepool  
UK  
TS25 2BS  
United Kingdom

**Tel:** +44 (0) 1429 273 252

**Fax:** +44 (0) 1429 232 611

**Email:** [enquiries@minkon.co.uk](mailto:enquiries@minkon.co.uk)

**1.4. Emergency telephone number**

**Emergency tel:** +441429273252 MTWT:08:30-17:00 F:08:30-14:00  
(office hours only)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Skin Irrit. 2: H315; Eye Irrit. 2: H319; Flam. Aerosol 1: H222; STOT SE 3: H336; -: H229

**Most important adverse effects:** Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

[cont...]

# SAFETY DATA SHEET

## FORTAFIX FASTGLEAM GLASS CLEANER

Page: 2

**Hazard pictograms:** GHS02: Flame  
GHS07: Exclamation mark



**Signal words:** Danger

**Precautionary statements:** P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211: Do not spray on an open flame or other ignition source.  
P251: Do not pierce or burn, even after use.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

##### 1-METHOXY-2-PROPANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-539-1	107-98-2	-	Flam. Liq. 3: H226; STOT SE 3: H336	10-30%

##### PETROLEUM GASES, LIQUEFIED

270-704-2	68476-85-7	-	Flam. Gas 1: H220; Press. Gas: H280	10-30%
-----------	------------	---	-------------------------------------	--------

##### RAW MATERIAL - SODIUM LAUROL SARCOSINATE - REACH registered number(s): 01-2119527780-39-XXXX

205-281-5	137-16-6	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Acute Tox. 2: H330	<1%
-----------	----------	---	---	-----

##### AMMONIA SOLUTION

215-647-6	1336-21-6	-	Skin Corr. 1B: H314; Aquatic Acute 1: H400	<1%
-----------	-----------	---	--	-----

#### Non-classified ingredients:

##### SODIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	<1%

[cont...]

**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 3

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Wash immediately with plenty of soap and water. Obtain medical attention if symptoms develop.

**Eye contact:** Bathe the eye with running water for 15 minutes. Obtain medical attention if symptoms develop.

**Ingestion:** Wash out mouth with water. Seek medical attention if irritation persists.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours. Seek medical attention if irritation persists.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and pain. Alkaline material which may cause caustic burns to eyes.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Not applicable.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide. Dry chemical powder. Alcohol or polymer foam.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** Aerosol cans may explode if heated. Use water spray to cool containers. In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory equipment is worn during removal of spillages in confined areas.

[cont...]

**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 4

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Keep away from heat sparks and open flame. When sprayed onto a naked flame or any incandescent material the aerosol vapours could be ignited. Wear suitable protective equipment. See Section 8 - Personal Protection.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Suitable packaging:** Must only be kept in original packaging.

**7.3. Specific end use(s)**

**Specific end use(s):** PC35: Washing and cleaning products (including solvent based products).

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Hazardous ingredients:**

**1-METHOXY-2-PROPANOL**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	375 mg/m <sup>3</sup>	560 mg/m <sup>3</sup>	-	-

**Non-classified ingredients:**

**SODIUM HYDROXIDE**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m <sup>3</sup>	-	-

**DNEL/PNEC Values**

[cont...]

**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 5

**FORTAFIX FASTGLEAM GLASS CLEANER**

Type	Exposure	Value	Population	Effect
DNEL	Oral	-	-	-

**8.2. Exposure controls**

**Engineering measures:** The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses.

**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Aerosol

**Colour:** Colourless

**Odour:** Characteristic odour

**Viscosity:** Non-viscous

**Boiling point/range°C:** <=35

**Flash point°C:** <23

**Relative density:** 0.873

**pH:** >11.5

**9.2. Other information**

**Other information:** No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Direct sunlight. Heat. Sources of ignition. Flames.

**10.5. Incompatible materials**

**Materials to avoid:** No data available.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** None at ambient temperature.

[cont...]

**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 6

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**1-METHOXY-2-PROPANOL**

IVN	RAT	LD50	4200	mg/kg
ORL	MUS	LD50	11700	mg/kg
ORL	RAT	LDLO	3739	mg/kg

**AMMONIA SOLUTION...100%**

IVN	MUS	LD50	91	mg/kg
ORL	RAT	LD50	350	mg/kg
SCU	MUS	LDLO	160	mg/kg

**Non-classified ingredients:**

**SODIUM HYDROXIDE**

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

**Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and pain. Alkaline material which may cause caustic burns to eyes.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:** No data available.

**12.2. Persistence and degradability**

**Persistence and degradability:** Not biodegradable.

[cont...]

**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 7

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** Bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Aerosol containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**14.1. UN number**

**UN number:** UN1950

**14.2. UN proper shipping name**

**Shipping name:** AEROSOLS

**14.3. Transport hazard class(es)**

**Transport class:** 2

**14.4. Packing group**

**14.5. Environmental hazards**

**Environmentally hazardous:** No

**Marine pollutant:** No

**14.6. Special precautions for user**

**Special precautions:** No special precautions.

**Tunnel code:** D

**Transport category:** 2

**Section 15: Regulatory information**

[cont...]

**SAFETY DATA SHEET**  
FORTAFIX FASTGLEAM GLASS CLEANER

Page: 8

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** Not applicable.

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** \* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H220: Extremely flammable gas.  
H222: Extremely flammable aerosol.  
H226: Flammable liquid and vapour.  
H229: Pressurised container: May burst if heated.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H330: Fatal if inhaled.  
H336: May cause drowsiness or dizziness.  
H400: Very toxic to aquatic life.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.