

## FORTAFIX FLAMESCREED - FIREPROOF SCREED

Page: 1

Compilation date: 08/03/2011

**Revision date: 21/02/2020** 

Revision No: 10

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: FORTAFIX FLAMESCREED - FIREPROOF SCREED

CAS number: Mixture EINECS number: Mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: High Temperature Resistant Screed PC9b: Fillers, putties, plasters, modelling clay.

### 1.3. Details of the supplier of the safety data sheet

Company name: Minkon Ltd

Tofts Farm Industrial Estate

Brenda Road Hartlepool TS25 2BS

UNITED KINGDOM **Tel:** +44 (0) 1429 273 252

Email: enquiries@minkon.co.uk

## 1.4. Emergency telephone number

Emergency tel: MTWT:08.30-17.00 F:08.30-14.00

(office hours only)

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

### 2.2. Label elements

Label elements:

Precautionary statements: P102: Keep out of reach of children.

P261: Avoid breathing dust.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash hands, forearms and face thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

## 2.3. Other hazards

**Other hazards:** Irritant by inhalation and if swallowed Irritating to eyes.

PBT: This product is not identified as a PBT/vPvB substance.

## FORTAFIX FLAMESCREED - FIREPROOF SCREED

Page: 2

## Section 3: Composition/information on ingredients

#### 3.1. Substances

Chemical identity: FORTAFIX FLAMESCREED - FIREPROOF SCREED

CAS number: Mixture EINECS number: Mixture

Contains: A blend of inert ceramic oxides in conjunction with a hydraulic cement binder.

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

affected skin with running water for 10 minutes or longer if substance is still on skin. Obtain

medical attention if symptoms develop.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to

drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: It is unlikely that this substance will be swallowed due to its physical properties. There may

be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: This product is not a fire or explosive hazard. Suitable extinguishing media for the

surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

## FORTAFIX FLAMESCREED - FIREPROOF SCREED

Page: 3

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Avoid generating dust. Remove by sweeping or if possible use a vacuum cleaner. Transfer to

a suitable container. To avoid generating excess dust it may be advisable to slightly damp

spillage. Refer to section 13 of SDS for suitable method of disposal.

#### 6.4. Reference to other sections

### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the

formation or spread of dust in the air. Avoid contact with eyes and skin. General good safety practices should be followed in the handling and use of this product. NO SMOKING OR

EATING OR DRINKING should be allowed in areas of storage or use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Avoid contact with water or humidity. Keep container

tightly closed.

Suitable packaging: Store in suitable sealed container.

## 7.3. Specific end use(s)

Specific end use(s): PC9b: Fillers, putties, plasters, modelling clay.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

# **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: If insufficient ventilation or if excessive dust is generated wear suitable respiratory protection -

ie a dust mask. Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## FORTAFIX FLAMESCREED - FIREPROOF SCREED

Page: 4

#### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Powder
Colour: Dark grey
Odour: Odourless

Solubility in water: Slightly soluble

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable in a dry environment

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Not applicable.

#### 10.4. Conditions to avoid

Conditions to avoid: When mixed with water will harden forming stable calcium aluminate hydrate.

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

Toxicity values: No data available.

## Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: It is unlikely that this substance will be swallowed due to its physical properties. There may

be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## **Section 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity values: No data available.

## FORTAFIX FLAMESCREED - FIREPROOF SCREED

Page: 5

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

## 12.4. Mobility in soil

Mobility: After hydration ( a few hours or days in moist conditions) the product is stable in soil or water,

with negligible mobility of its constituents.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: No data available.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Dispose of empty packaging or surplus cement to a place authorised to accept builders'

waste (non-hazardous materials landfill).

**Disposal of packaging:** Contaminated containers must be completely emptied. Dispose of empty packaging to a

place authorised to accept builders' waste (non-hazardous materials landfill).

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal. According to the European Waste Catalogue, Waste Codes are not

product specific, but application specific.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

### **Section 16: Other information**

#### Other information

Other information: Shelf life - 12 months

This product is ROHS compliant.

This product is a water based adhesive cement - VOC Content 0 gram/litre

REACH1 - Minkon UK Ltd is a formulator and blender of substances. Raw materials supplied

us are expected to be supported by the REACH legislation where required.

REACH2 - This product contains no Substances of Very High Concern as listed at:

http://echa.europa.eu/web/guest/candidate-list-table

# FORTAFIX FLAMESCREED - FIREPROOF SCREED

Page: 6

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.