

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 11/3/2021 Revision date: 2/25/2025 Supersedes version of: 10/20/2022 Version: 1.8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Fortafix Flame Bond G9
Product code	: FFM105
Type of product	: adhesives
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Industrial
	Use resulting in inclusion into or onto a matrix
Use of the substance/mixture	: Adhesives, Sealants
Function or use category	: Adhesives, Sealants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Minkon Ltd Tofts Farm Industrial Estate Brenda Road TS25 2BS Hartlepool – Durham United Kingdom T 01429 273252 sales@minkon.co.uk - www.minkon.co.uk

1.4. Emergency telephone number

Emergency number

: ++44 (0)1429 273252

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

H318

2.2. Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product. No labelling applicable

2.3. Other hazards

PBT: not relevant – no registration required Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Other information

: alkaline medium.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Additives

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium silicate	CAS-No.: 1344-09-8 EC-No.: 215-687-4 REACH-no: 01- 211944872531	< 40	Skin Corr. 1, H314 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.		
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Gently wash with plenty of soap and water. Wash skin with plenty of water.		
First-aid measures after eye contact First-aid measures after ingestion	 IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention. Direct contact with the eyes is likely to be irritating. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution. If swallowed, seek medical advice immediately and show this container or label. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects Symptoms/effects after skin contact	 Causes serious eye irritation. May cause an allergic skin reaction. Contact during a long period may cause light irritation. Irritation. Repeated exposure may cause skin dryness or cracking. 		
Symptoms/effects after eye contact Symptoms/effects after ingestion	Direct contact with the eyes is likely to be irritating. Eye irritation.May cause irritation to the digestive tract.		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: No fire hazard. Not flammable.	
Explosion hazard	: No direct explosion hazard.	
Reactivity in case of fire	: Product is not explosive.	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	tive equipment and emergency procedures	
General measures	: Avoid contact with skin and eyes.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up		
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	
Methods for cleaning up	: Take up liquid spill into absorbent material.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 		
7.2. Conditions for safe storage, including any incompatibilities			
	 Does not require any specific or particular technical measures. Keep container tightly closed. Store in a well-ventilated place. Keep cool. < 12 months 5 - 30 °C Store in a closed container. Store always product in container of same material as original container. 		

7.3. Specific end use(s)

Adhesives, Sealants. An adhesive is a product capable of joining materials by surface bonding (adhesion), where the bond possesses adequate internal strength (cohesion). A sealant is an adhesive product applied to joints in order to fill gaps, mechanically block or protect from, for example, air and water.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Exposure limit values for the other components

(inadeL TWA2 mg/gulatory referenceKoninIgaria - Occupational Exposure Limitsal nameКаолиkpuctL TWA6 mg/gulatory referenceНареgulatory referenceНареsaщисвързаareнт47 отpatia - Occupational Exposure LimitsКаолиcal nameКаоли(I (OEL TWA) [1]2 mg/gulatory referencePravilPravilPravil1 (OEL TWA) [1]2 mg/gulatory referencePravil1/2021/202	in (fraction alvéolaire) # Kaolien lembare fractie) /m³ nklijk besluit/Arrêté royal 19/11/2020 иин, съдържащ под 2 % свободен тален силициев диоксид в ирабилната фракция /m³ (Инхалабилна фракция) /m³ (Респирабилна фракция) /m³ (Респирабилна фракция) адба № 13 от 30.12.2003 г. за ита на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр. г 2021 г., в сила от 04.06.2021 г.)	
(inadeL TWA2 mg/gulatory referenceKoninIgaria - Occupational Exposure Limitsal nameКаолиkpuctL TWA6 mg/gulatory referenceНареgulatory referenceНареsaщисвързаareнт47 отpatia - Occupational Exposure LimitsКаолиcal nameКаоли(I (OEL TWA) [1]2 mg/gulatory referencePravilPravilPravil1 (OEL TWA) [1]2 mg/gulatory referencePravil1/2021/202	lembare fractie) /m³ nklijk besluit/Arrêté royal 19/11/2020 иин, съдържащ под 2 % свободен тален силициев диоксид в ирабилната фракция /m³ (Инхалабилна фракция) /m³ (Респирабилна фракция) /m³ (Респирабилна фракция) едба № 13 от 30.12.2003 г. за пта на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
gulatory reference Konir Igaria - Occupational Exposure Limits al name Kaomi kpuct pecnu L TWA 6 mg/ 3 mg/ gulatory reference Hape 3aщи cBaps arent 47 or batia - Occupational Exposure Limits cal name Kaolin I (OEL TWA) [1] 2 mg/ gulatory reference Pravil Pravil J (202	nklijk besluit/Arrêté royal 19/11/2020 ин, съдържащ под 2 % свободен тален силициев диоксид в ирабилната фракция /m³ (Инхалабилна фракция) /m³ (Респирабилна фракция) /m³ ta на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
Igaria - Occupational Exposure Limits Ranne Kaoni крист респи L TWA 6 mg/ 3 mg/ gulatory reference Наре защи свърх агент 47 от patia - Occupational Exposure Limits ral name Kaolin I (OEL TWA) [1] 2 mg/ gulatory reference Pravil pravil ravil zože biološ 1/202	иин, съдържащ под 2 % свободен тален силициев диоксид в ирабилната фракция /m³ (Инхалабилна фракция) /m³ (Респирабилна фракция) едба № 13 от 30.12.2003 г. за ита на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
kaoni kpuct pecnu L TWA 6 mg/ 3 mg/ gulatory reference Наре защи свърз агент 47 от patia - Occupational Exposure Limits ral name Kaolin I (OEL TWA) [1] 2 mg/ gulatory reference Pravil Pravil pravil pravil pravil pravil pravil pravil pravil pravil pravil	тален силициев диоксид в ирабилната фракция /m³ (Инхалабилна фракция) /m³ (Респирабилна фракция) едба № 13 от 30.12.2003 г. за ита на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
крист респи Source Section Address Section Ad	тален силициев диоксид в ирабилната фракция /m³ (Инхалабилна фракция) /m³ (Респирабилна фракция) едба № 13 от 30.12.2003 г. за ита на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
gulatory reference Hape Jack Sector	/m³ (Респирабилна фракция) едба № 13 от 30.12.2003 г. за ита на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
защи свърз агент 47 от patia - Occupational Exposure Limits al name Kaolin I (OEL TWA) [1] 2 mg/ gulatory reference Pravil Pravil izlože biološ 1/202	ита на работещите от рискове, зани с експозиция на химични ти при работа (изм. и доп. ДВ. бр.	
al name Kaolin I (OEL TWA) [1] 2 mg/ gulatory reference Pravil Pravil izlože biološ 1/202	1 202 11., B CUIIA 01 04.00.202 11.)	
I (OEL TWA) [1] 2 mg/ gulatory reference Pravil Pravil izlože biološ 1/202		
gulatory reference Pravil Pravil izlože biološ 1/202	'n	
Pravil izlože biološ 1/202	/m³ R (respirabilna prašina)	
	ilnik o izmjenama i dopunama ilnika o graničnim vrijednostima enosti opasnim tvarima pri radu i o škim graničnim vrijednostima (NN 21)	
nmark - Occupational Exposure Limits		
al name Kaolin	'n	
L TWA [1] 2 mg/	/m³ respirabel	
gulatory reference BEK	nr 1426 af 28. juni 2021	
land - Occupational Exposure Limits		
al name Kaolii	ini	
P (OEL TWA) [1] 2 mg/	/m³ alveolijae	
	-ARVOT 2020 (Sosiaali- ja ysministeriö)	
and - Occupational Exposure Limits		
al name Kaolin	in, respirable dust	
L TWA [1] 2 mg/	/m³	
gulatory reference Chem	nical Agents Code of Practice 2021	
and - Occupational Exposure Limits	-	
al name Kaolin		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(1332-58-7)		
NDS (OEL TWA)	10 mg/m³ frakcja wdychalna	
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Obowiązuje jednoczesne oznaczanie stężeń frakcji respirabilnej krzemionki krystalicznej.	
Regulatory reference	Dz. U. 2018 poz. 1286	
Portugal - Occupational Exposure Limits		
Local name	Caulino	
OEL TWA	2 mg/m³ E (O valor aplica-se a partículas sem amianto e contendo menos de 1 % de sílica cristalina), R (Fração respirável)	
Remark	A4 (Agente não classificável como carcinogénico no Homem)	
Regulatory reference	Norma Portuguesa NP 1796:2014	
United Kingdom - Occupational Exposure Limit	S	
Local name	Kaolin	
WEL TWA (OEL TWA) [1]	2 mg/m ³ respirable dust	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Iceland - Occupational Exposure Limits		
Local name	Kaolín, örfínt ryk	
OEL TWA	2 mg/m³	
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)	
Switzerland - Occupational Exposure Limits		
Local name	Kaolin / Kaolin	
MAK (OEL TWA) [1]	3 mg/m³ (a) / (a)	
Critical toxicity	Fibpulm / Lungenfibrose	
Regulatory reference	www.suva.ch, 01.01.2021	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
--	--

Physical state	: Liquid
Appearance	: Paste.
Colour	: light brown.
Odour	: odourless.
Odour threshold	: No data available
pH	: >7
pH solution	: Alkaline
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: 0 °C
Boiling point	: 100
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.45 – 1.75 g/ml
Solubility	: In water, material is partially soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties Oxidising properties Explosive limits	No data availableNo data availableNo data available	
9.2. Other information		

Softening point

: 900 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Additional information	 May be harmful if swallowed (Based on available data, the classification criteria are not met) Not classified Not classified No data available 	
sodium silicate (1344-09-8)		
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)	
Skin corrosion/irritation	: Slightly irritant but not relevant for classification (Not applicable) pH: > 7	
Additional information	: Causes skin irritation.	
sodium silicate (1344-09-8)		
рН	> 13.5 Concentration:]42 vol%,46 vol%[
Serious eye damage/irritation	: Slightly irritant but not relevant for classification (Based on available data, the classification criteria are not met) pH: > 7	
Additional information	Causes eye irritation	
sodium silicate (1344-09-8)		
рН	> 13.5 Concentration:]42 vol%,46 vol%[
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

2.1. Toxicity	
cology - general azardous to the aquatic environment, short-term cute) azardous to the aquatic environment, long-term nronic) ot rapidly degradable	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
sodium silicate (1344-09-8)	
C50 - Fish [1]	3185 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
C50 - Crustacea [1]	1700 mg/l Test organisms (species): Daphnia magna
C50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
C50 72h - Algae [2]	> 345.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
Fortafix Flame Bond G9		
PBT: not relevant – no registration required		
12.6. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations 13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Clean with water. Do not dispose of the packaging without first carrying out the necessary cleaning.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
Ecology - waste materials	: Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transpo	rt information			
n accordance with ADR / IMD	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
NOT SUBJECT				
14.1. UN number			· · · · · ·	
Not applicable	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name	-	· · · · · ·	
Not applicable	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	lass(es)			
Not applicable	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not applicable	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Dangerous for the environment: No	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			
Transport by sea Not regulated Air transport Not regulated nland waterway transport Not regulated				
Rail transport Not regulated				
	ccording to Annex II of M	larpol and the IBC Code		
Not applicable				
SECTION 15: Regulate	ory information			
15.1. Safety, health and o	environmental regulation	s/legislation specific for	the substance or mixture)
5.1.1. EU-Regulations				
REACH Annex XVII (Restric				
	ces with Annex XVII restriction	IS		
REACH Annex XIV (Authoris Contains no REACH Annex X				
	IV SUDSIGNCES			

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

•		
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).	
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).	
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)	
Netherlands		
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed	
SZW-lijst van mutagene stoffen	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed	
Switzerland		
Storage class (LK)	: LK 10/12 - Liquids	
15.2. Chemical safety assessment		

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
Skin Corr. 1	Skin corrosion/irritation, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.